Amaz Since 2000

www.amaz.group

Blow From Snow Mountain

2026-2027



CATALOGUE

01. COMPANY

COMPANY PROFILE 01
COMPANY CULTURE 02
DEVELOPMENT HISTORY 03
PRODUCT CERTIFICATION 04
BUSINESS MAP 05
FACTORY INTRODUCTION 06-07

02. COOPERATE

COOPERATION AGENT 08

03. PRODUCT

AIR CONDITIONER 09-18
AVAILABLE ACCESSORIES 18-25
AIR CONDITIONING FAN / SOLOR FAN 26-28
WASHING MACHINE 29-37
REFRIGERATOR & CONTACT INFORMATION 38-48

COMPANY PROFILE

2000
SINCE

80,000 m²
FACTORY

1,500
EMPLOYEES

350-400K
MONTHLY OUTPUT

35-40
R&D ENGINEERS

Amaz group is an international group with capacities of designing, researching and manufacturing. We have been providing Amaz products as well as OEM service. Established in 2000, our company boasts a robust presence with overseas brands including AMAZ, HISENSE, TCL, PATTERS, RINOKING, and RINOKID.

With over 1500 dedicated workers, we possess extensive facilities comprising one headquarters and five factories spanning 80,000 square meter. Amaz is dedicated to manufacturing home-used electronics and bringing Amaz products to every individual home. Our products include: Split Air Conditioners, Floor-standing Air Conditioners, Portable Air Conditioners, Washing Machine, Refrigerator and Solar Fans. Our factory has internal and external assembly lines, copper tube die-casting part, injection molding machine, laboratories, refrigerant injection production line, machine testing and other professiona equipments.

Over 26 years effort, we have established a wide customer network in Africa, Asia and America.Amaz already sold to 180 countries so far, 35 different agents all over the world.

Our slogan encapsulates our commitment to fostering long-term relationships: "We wish one customer visits us many times, rather than many customers visit once."



COMPANY CULTURE



Vision

Life's amazing with Amaz



Mission

Technology creates a better life.
Makes our stuffs happily
Both in life & work



Values

Customer First, Embrace Change,
Passion, honest."I am the-
responsible person
in this moment and teamwork.

DEVELOPMENT HISTORY

2000
Factory established in China

2007
Set up oversea sales team

2015
Set up Amaz factory in Ethiopia

2019
Moved in new office in Guangzhou

2020
Build new industry zone in Ethiopia

2021
Set up Nigeria branch Company

2023
Guinea Office Established

2024
Brand upgraded

2025
Visual Identity System Upgrade


2026
Brand Globalization



PRODUCT CERTIFICATION



BSCI SOCIALRESPONSIBILITY



ISO 45001:2018



High-tech Enterprise Certificate



ISO 14001:2015



ISO 9001:2015



EMC LVD CB1 AMAZ RoHS PRODUCT PATERTS ISO 45001:2018 FCC CE

BUSINESS MAP



Amaz already sold to 180 countries so far.

35 different agents all over the word.

FACTORY INTRODUCTION

Our Factory In Ethiopia

AMAZ ELECTRONICS MANUFACTURING PLC was established in 2014. It covers 22,000 square meters, and it is our own land. As a joint ventures, we aim at assembling home-use electronics, and brings Amaz products to every individual home. Our products includes LED TV, speakers, air-conditioner, washing machine, refrigerator and fan. Being a well growing and developing enterprise, we fully understand the value and importance of good quality, agile delivery, competitive price and perfect service.



Modern factory covering 22,000 square meters








FACTORY STRENGTH


Injection Machine 01



SMT Machine 02



Machanical Processing 03


Evaporator Assembly 04


Indoor Unit Assembly 05


Outdoor Unit Assembly 06


Comprehensive Test 07


Key Indicate Test 08


Transportation Test 09


Laboratory Verification 10

COOPERATION AGENT

Showroom in Ethiopia & Branch in Guinea.


In Ethiopia, we are the agents for Hisense&TCL.















Kuwait



Russia

35 Amaz Agents Around The World.



Philippines



Senegal



Guinea



Nigeria



Mexico

Product Line up

Complete climate solutions for every need

Cool Only | Cool & Heat | Inverter / Non-inverter | R410A / R32 Refrigerant

- T1/T3 available
- Inverter / Non-inverter available
- R410A / R32 available
- Cool only / Cool & Heat available



Wall-Mounted Split
T1 / T3

Windows AC
Cool Only / Cool & Heat

Outdoor Unit
Inverter / Non-inverter

Floor Standing
Cool Only / Cool & Heat

Generator Compatible
Reliable Power

Floor Standing AC
Cool Only / Cool & Heat

Compatible for Generator | Stable Performance, Anytime

SOLAR AIR CONDITIONER

Clean Energy, Smart Cooling

- Smart Dual Power Supply
- AI-Powered Efficiency
- R32 Eco-Friendly
- Ultra Quiet Operation
- Durable & Reiiable



Hi! I'm Amaz!

Let me introduce our solar air conditioner that brings you cool comfort with clean, renewable energy.




8 INNOVATIVE FEATURES

Smart Dual Pwer Supply



Intelligent switching between solar and grid for uninterrupted cooling.

One PCB Only



Simplified design for higher reliability and easy maintenance.

Strong Cooling Under T3 Conditions



Powerful performance even in extreme high-temperature environments.

Environmentally Friendly



R32 refrigerant for lower emissions and a greener planet.

Easy installation



User-frieedly design for faster and simpler setup.

ElecticityCosts As Low As Zero



Maximize solar energy usage and reduce your electricity bills.

Wide Voltage Range Operation



Reliable operation across various voltage conditions

Quiet & Comfortable



Low noise design for a peaceful and comfortable environment.

AC

Packing dimensions
Indoor:979*380*265
Outdoor:890*385*628
Loading Qty (40'HQ):205

N.W Indoor: 8KG
Outdoor:17KG
G.W Indoor: 8KG
Outdoor:17KG

SOLAR PANEL

Standard	445-450W(per pcs)
Pcs	4
Net weight	24.5(per pcs)
Net dimension	1762x1134x30(per pcs)
Gross weight	110
Packing dimension	1870x1235x230
MPPT Voltage Range	29.93V/pcs
Full Load MPPT Voltage Range	119.72V/4 pcs
Max input Short Circuit Current	Isc: 16.8
Max Operating Pv input Current	Imp: 15.6

R32 REFRIGERANT

AI INVERTER

T3 COMPRESSOR

Upgrade to a Smarter, Greener, Cooler Lifestyle Today!

Enjoy powerful cooling with the power of the sun.

Air-conditioner

Penguin series
Wall-mounted Split



AL661



AL881

BTU	Packing Dimensions (W*D*H) - Indoor	Packing Dimensions (W*D*H) - Outdoor	Net Weight (KG)		Gross Weight (KG)		Loading Quantity		
			Indoor	Outdoor	Indoor	Outdoor	20'HQ	40'HQ	45'HQ
9K	77*32*23.5	70.4*32.4*54	6kg	20kg	8kg	23kg	167	386	433
12K	85*32*24	82*33*54	7kg	22kg	9kg	25kg	143	334	377
18K	98*33.5*25.5	87.5*34*59	9kg	29kg	11kg	32kg	133	280	310
24K	115*41*32.5	90*37*64	15kg	37kg	18kg	41kg	78	186	210

Air-conditioner

Penguin series
Wall-mounted Split



AL662



AL882


BTU	Packing Dimensions (W*D*H) - Indoor	Packing Dimensions (W*D*H) - Outdoor	Net Weight (KG)		Gross Weight (KG)		Loading Quantity		
			Indoor	Outdoor	Indoor	Outdoor	20'HQ	40'HQ	45'HQ
12K	85*32*24	82*33*54	7kg	22kg	9kg	25kg	143	334	377

Air-conditioner

Penguin series
Wall-mounted Split



AL999



AL100

BTU	Packing Dimensions (W*D*H) - Indoor	Packing Dimensions (W*D*H) - Outdoor	Net Weight (KG)		Gross Weight (KG)		Loading Quantity		
			Indoor	Outdoor	Indoor	Outdoor	20'HQ	40'HQ	45'HQ
9K	77*32*23.5	70.4*32.4*54	6kg	20kg	8kg	23kg	167	386	433
12K	85*32*24	82*33*54	7kg	22kg	9kg	25kg	143	334	377
18K	98*33.5*25.5	87.5*34*59	9kg	29kg	11kg	32kg	133	280	310
24K	115*41*32.5	90*37*64	15kg	37kg	18kg	41kg	78	186	210

Air-conditioner

Classic
Floor Standing



AL935

18KBTU Loading Quantity

Indoor Unit: 36KG Outdoor Unit: 45KG

40HQ	45HQ
92	105



AL935

24KBTU Loading Quantity

Indoor Unit: 44KG Outdoor Unit: 47KG

40HQ	45HQ
82	100

Air-conditioner

Noble
Column AC



AL926

18KBTU Loading Quantity

Indoor Unit: 44KG Outdoor Unit: 35KG

40HQ	45HQ
109	122



AL926

24KBTU Loading Quantity

Indoor Unit: 44KG Outdoor Unit: 47KG

40HQ	45HQ
102	115

Portable Air-conditioner



ALP-13

5500~10000BTU



ALP-14

5000BTU

Portable Air-conditioner



ALP-15

5500~10000BTU



ALP-16

5000-8000BTU


Heat Pump Series



REFRIGERANT R32 REFRIGERANT

REFRIGERANT R410A REFRIGERANT

AMAZ heat pump is a device that pulls the energy out of air, that offers space heating, cooling and hot water solution.



Wide Temperature and Stable Outlet Water

Heating water temperature
25~65℃

Cooling water temperature
5~25℃



Full DC Inverter System

AMAZ heat pump can accurately adjust the compressor speed to meet the heating and cooling load requirements.At the same time, the CHANGHONG heat pump adopts DC brushless motor, efficient DC water pump,linear flow electronic expansion valve and other components, which greatly improves the energy rfficency of partial load operation and makes the unit more energy saving througout the year.



Twin Rotary Compressor

AMAZ heat pump is equipped with the DC Twin Rotary Compressor.Compared to a single inverter compressor, which will also increase the cooling efficency and also decrease the the vibration, that makes it more efficiency and reliability.



Reliable Operation

Works well enen in extremely cold weather at -25℃.

SMART CONTROL

·WIFI Control

With amaz exclusive smart APP(support both Android and IOS system), the smart AC could be connected with WIFI and cellular data, then all the family members could use their terminal devices such as mobile phone, pad or table to control the AC everywhere in the world.



ENERGY SAVING & COMFORT

·Non equidistant Fan

Patent number: 200720201517.2

Amaz AC uses non equidistant fan, scatters sound source less resonance less freguency, effectively lower noise, and obtains Chinas national patent.



RELIABILITY

·Special rust-resistant film

Corrosion and rusting is prevented by spraying powdered form of pure polyester at high temperature on hot zinc-plated steel sheet. This way the air conditioner's appearance and functionality will improve significantly over the years.



·Low Voltage Work


Our air conditioner allows a continous operation even under severe power fluctuation as low as 150V



ENERGY SAVING & COMFORT

·4D Air Flow

Distributes a stream of air to a wider area bycombining the vertical and horizontal autoswing.



·ECO Mode

Press the Eco button to reduce power consumption about 60% while providing cooling comfort.



Reliability

Golden Fin

Golden fin is better in anti-corrosion and fast heating exchange characteristics than normal fin.





High Voltage Protection

Amaz PCB(Power Circuit Board) was upgraded to increase its ability to withstand voltage variations, thus ensuring safety against high-voltage or power surges while ultimately strengthening the air conditioner's overall durability




SKD/CKD

Indoor Unit

Evaporator,Display pcb,Air fiter,Wall Mounted plate sheet,Drain hose Assembly,Electronic cover,Electrlc centralassembly,Motor,Fan,Remote Conreoller.Motor cover,Amblence temperture sensor,Sensor assembly, Bracket,Transformer,Step motor,Power cable,Manuual








Front panel(without display pcb)+Middle frame assembly+Bottom frame Assembly+Blade+LDU carton make to be indoor casinc.
Other componts be packed spepartely.

Outdoor Unit

Compressor,Fan,Motor,4-way valve,Capillary tube assembly,Pipe,Terminal, Outdoor unit accessory kit,Compressor capacitor,Motor capacitor, Outdoor unit electrical mounting plate,Valve support,Screws





Rear net cover + Front panel sheet (with outdoor fan cover) + Base sheet + Top cover sheet+Right plate sheet + Corner mounting plate + Partitiom Plate sheet + Outdoor motor support sheet + Condenser + Packing foam + Gldft box make to be outdoor casing.
Other components be packed separately.

Carton Choice

Amaz or Customized Carton











AC Accessory

We will provide you spare parts







FAN



COMPRESSOR



BRACKET




CONDENSER



COPPER PIPE

REMOTE CONTROL CHOICE



Control by your mobile phone



A-1



A-2



A-3



A-4



A-5



A-6

Air Cooler

AL-20A

Loading Quantity	
40HQ	483



AL-40A

Loading Quantity	
40HQ	210



Solar Fan

ALF-16L

Loading Quantity	
40HQ	2800



Fan size:	16 inch
Solar panel:	9V 15W
Battery:	7.4V 4000MAH ternary lithium battery
Charger:	8.4V 2A adaptive charger
Fan speed:	3 Level
Duration of use:	4-8 hours
Solar charging time:	4-5 hours; adapter included
Box size:	43.5*23*48cm

ALF-16MQ

Loading Quantity	
40HQ	1450



Fan size:	16 inch
Function:	AC/DC operation with 0.5 hour timer
Battery:	12V 4.5AH lead-acid battery
Voltage:	110-240V
Material:	ABS+PP
Equipment:	10W solar panel + 2 bulbs
Box size:	63.8*13*56.6cm

Solar Fan

ALF-16LD

Loading Quantity	
40HQ	2120



Fan size:	16 inch
Power:	15W
Fan speed:	3 Level
Usage duration:	3 levels for 5-6 hours
Charger:	9V/2A compatible charger
Battery:	7.4V 8800MAH ternary lithium batter
Function mode:	USB mobile phone charging DC output
Box size:	44*16.5*44cm

ALF-12Q

Loading Quantity	
40HQ	4480



Fan size:	12 inch
Power:	15W
Panel:	9V 3.5W
Battery:	6V 4A lead-acid battery
Charging time:	4-6H
Box size:	42*19*38 (Two sets in one box)

CONTACT INFORMATION



刘晓燕 Shirley Liu
Sales Director
+86 134 2412 2548
Shirley@amazinglife.gz.cn



焦慧云 Eliza
Deputy Marketing Director
+86 136 1149 9705
amaz5@amazinglife.gz.cn



温水带 Miko
Sales Manager
+86 135 5614 9209
amaz4@amazinglife.gz.cn



钟雁婷 Hillary
Sales Manager
+86 135 0003 4125
amaz9@amazinglife.gz.cn



李凌洁 Lily
French Sales Manager
+86 195 7644 8674
amaz17@amazinglife.gz.cn



吴雨镜 Obama
Sales Manager
+86 190 7528 4674
amaz12@amazinglife.gz.cn



李燕榕 Alice
Sales Manager
+86 135 0003 5459
amaz3@amazinglife.gz.cn



彭凯润 Garfield
Sales Manager
+86 133 02219859
amaz2@amazinglife.gz.cn



刘亦鸿 Brian
Sales Manager
+86 135 3322 3572
amaz14@amazinglife.gz.cn



关喜妍 Gabrielle
French Sales Manager
+86 198 7586 9067
amaz08@amazinglife.gz.cn

Amaz

Life Is Amazing

www.amaz.group

SOHO INDUSTRY LIMITED

Headquarter Office: Room#503~505, Green-land-center Mall, Huangpudadaozhong Road#662, International Finance CBD, Tianhe subcity, Guangzhou City, Guangdong Province, China.

Ethiopia Factory: Oromia Special Zone Brayu, Tatak Industrial Zone

Guangdong Factory: Changsheng Road,Nanhai District,Foshan City

Website

VR Showroom

Shirley's Wechat