

Blow From Snow Mountain 2026-2027



01.COMPANY

COMPANY PROFILE	01
COMPANY CULTURE	02
DEVELOPMENT HISTORY	03
PRODUCT CERTIFICATION	04
BUSINESS MAP	05
FACTORY INTRODUCTION	06-07

02.COOPERATE

COOPERATION AGENT	08
-------------------------	----

03.PRODUCT

AIR CONDITIONER	09-18
AVAILABLE ACCESSORIES	18-25
AIR CONDITIONING FAN / SOLAR FAN	26-28
WASHING MACHINE	29-37
REFRIGERATOR & CONTACT INFORMATION	38-48

COMPANY PROFILE

2000

SINCE

Amaz group is an international group with capacities of designing, researching and manufacturing. We have been providing Amaz products as well as OEM service. Established in 2000, our company boasts a robust presence with overseas brands including AMAZ, HISENSE, TCL, PATTERS, RINOKING, and RINOKID.

80,000 m²

FACTORY

With over 1500 dedicated workers, we possess extensive facilities comprising one headquarters and five factories spanning 80,000 square meter. Amaz is dedicated to manufacturing home-used electronics and bringing Amaz products to every individual home. Our products include: Split Air Conditioners, Floor-standing Air Conditioners, Portable Air Conditioners, Washing Machine, Refrigerator and Solar Fans. Our factory has internal and external assembly lines, copper tube die-casting part, injection molding machine, laboratories, refrigerant injection production line, machine testing and other professional equipments.

1,500

EMPLOYEES

350-400K

MONTHLY OUTPUT

Over 26 years effort, we have established a wide customer network in Africa, Asia and America. Amaz already sold to 180 countries so far, 35 different agents all over the world.

35-40

R&D ENGINEERS

Our slogan encapsulates our commitment to fostering long-term relationships: "We wish one customer visits us many times, rather than many customers visit once."



COMPANY CULTURE



Vision

Life's amazing with Amaz



Mission


Technology creates a better life.
Makes our stuffs happily
Both in life & work



Values

Customer First, Embrace Change,
Passion, honest."I am the-
responsible person
in this moment and teamwork.


DEVELOPMENT HISTORY



PRODUCT CERTIFICATION



BSCI SOCIAL RESPONSIBILITY



ISO 45001:2018



High-tech Enterprise Certificate




ISO 14001:2015



ISO 9001:2015




EMC



LVD




CB1




AMAZ




RoHS



PRODUCT PATENTS



ISO 45001:2018



FCC



CE

BUSINESS MAP



Amaz already sold to **180** countries so far.

35 different agents all over the world.

FACTORY INTRODUCTION

Our Factory In Ethiopia


AMAZ ELECTRONICS MANUFACTURING PLC was established in 2014. It covers 22,000 square meters, and it is our own land. As a joint ventures, we aim at assembling home-use electronics, and brings Amaz products to every individual home. Our products includes LED TV, speakers, air-conditioner, washing machine, refrigerator and fan. Being a well growing and developing enterprise, we fully understand the value and importance of good quality, agile delivery, competitive price and perfect service.



Modern factory covering 22,000 square meters




FACTORY STRENGTH



COOPERATION AGENT

Showroom in Ethiopia & Branch in Guinea.

In Ethiopia, we are the agents
for Hisense&TCL.



Kuwait



Russia

35 Amaz Agents
Around The World.



Philippines



Senegal



Guinea



Nigeria



Mexico



Product Line up

T1/T3 available

Inverter / Non-inverter available

R410A / R32 available

Cool only / Cool & Heat available




Wall-Mounted Split / Floor Standing / Windows AC available

Compatible for Generator

Air-conditioner

Polar Bear Series Wall-mounted Split



AL668




AL886


BTU	Packing Dimensions (W*D*H) - Indoor	Packing Dimensions (W*D*H) - Outdoor	Net Weight (KG)		Gross Weight (KG)		Loading Quantity	
			Indoor	Outdoor	Indoor	Outdoor	40'HQ	45'HQ
9K	77*33*26	77*32*49.5	7kg	22kg	9kg	25kg	378	415
12K	85*32*26.5	82*32.5*53	7kg	24kg	9kg	27kg	314	366
18K	84*34*59	98.5*38*29.5	10kg	29kg	13kg	33kg	240	280
24K	109.5*39.5*31.5	89.5*38*65	12kg	36kg	15kg	40kg	188	218

Air-conditioner

Penguin series
Wall-mounted Split



AL661




AL881


BTU	Packing Dimensions (W*D*H) - Indoor	Packing Dimensions (W*D*H) - Outdoor	Net Weight (KG)		Gross Weight (KG)		Loading Quantity	
			Indoor	Outdoor	Indoor	Outdoor	40'HQ	45'HQ
9K	77*32*23.5	70.4*32.4*54	6kg	20kg	8kg	23kg	367	428
12K	85*32*24	82*33*54	7kg	22kg	9kg	25kg	317	369
18K	98*33.5*25.5	87.5*34*59	9kg	29kg	11kg	32kg	258	301
24K	115*41*32.5	90*37*64	15kg	37kg	18kg	41kg	183	213

Air-conditioner

Penguin series
Wall-mounted Split



AL662



AL882

BTU	Packing Dimensions (W*D*H) - Indoor	Packing Dimensions (W*D*H) - Outdoor	Net Weight (KG)		Gross Weight (KG)		Loading Quantity	
			Indoor	Outdoor	Indoor	Outdoor	40'HQ	45'HQ
9K	77*32*23.5	70.4*32.4*54	6kg	20kg	8kg	23kg	367	428
12K	85*32*24	82*33*54	7kg	22kg	9kg	25kg	317	369
18K	98*33.5*25.5	87.5*34*59	9kg	29kg	11kg	32kg	258	301
24K	115*41*32.5	90*37*64	15kg	37kg	18kg	41kg	183	213

Air-conditioner

Starry Night
Wall-mounted Split



AL999

Diamond
Wall-mounted Split




AL100

BTU	Packing Dimensions (W*D*H) - Indoor	Packing Dimensions (W*D*H) - Outdoor	Net Weight (KG)		Gross Weight (KG)		Loading Quantity	
			Indoor	Outdoor	Indoor	Outdoor	40'HQ	45'HQ
9K	77*32*23.5	70.4*32.4*54	6kg	20kg	8kg	23kg	367	428
12K	85*32*24	82*33*54	7kg	22kg	9kg	25kg	317	369
18K	98*33.5*25.5	87.5*34*59	9kg	29kg	11kg	32kg	258	301
24K	115*41*32.5	90*37*64	15kg	37kg	18kg	41kg	183	213

Air-conditioner

Classic
Floor Standing



AL935

18KBTU Loading Quantity

Indoor Unit: 36KG Outdoor Unit: 45KG

40HQ

45HQ

92

105



AL935

24KBTU Loading Quantity

Indoor Unit: 44KG Outdoor Unit: 47KG

40HQ

45HQ

82

100

Air-conditioner

Noble
Column AC



AL926	
18KBTU Loading Quantity	
Indoor Unit: 44KG Outdoor Unit: 35KG	
40HQ	45HQ
109	122



AL926	
24KBTU Loading Quantity	
Indoor Unit: 44KG Outdoor Unit: 47KG	
40HQ	45HQ
102	115

Portable Air-conditioner



ALP-13

5500~10000BTU



ALP-14

5000BTU

Portable Air-conditioner



ALP-15

5500~10000BTU




ALP-16

5000-8000BTU

Heat Pump Series



AMAZ heat pump is a device that pulls the energy out of air, that offers space heating, cooling and hot water solution.



Wide Temperature and Stable Outlet Water

 **Heating**
water temperature
25~65°C

 **Cooling**
water temperature
5~25°C



Full DC Inverter System

AMAZ heat pump can accurately adjust the compressor speed to meet the heating and cooling load requirements. At the same time, the CHANGHONG heat pump adopts DC brushless motor, efficient DC water pump, linear flow electronic expansion valve and other components, which greatly improves the energy efficiency of partial load operation and makes the unit more energy saving throughout the year.



Twin Rotary Compressor

AMAZ heat pump is equipped with the DC Twin Rotary Compressor. Compared to a single inverter compressor, which will also increase the cooling efficiency and also decrease the vibration, that makes it more efficiency and reliability.




Reliable Operation

Works well even in extremely cold weather at -25°C.

SMART CONTROL

·WIFI Control

With amaz exclusive smart APP(support both Android and IOS system), the smart AC could be connected with WIFI and cellular data, then all the family members could use their terminal devices such as mobile phone, pad or table to control the AC everywhere in the world.




ENERGY SAVING & COMFORT

·Non equidistant Fan


Patent number:
200720201517.2



Amaz AC uses non equidistant fan, scatters sound source less resonance less frequency, effectively lower noise, and obtains Chinas national patent.



VS



RELIABILITY

·Special rust-resistant film

Corrosion and rusting is prevented by spraying powdered form of pure polyester at high temperature on hot zinc-plated steel sheet. This way the air conditioner's appearance and functionality will improve significantly over the years.



·Low Voltage Work


Our air conditioner allows a continuous operation even under severe power fluctuation as low as 150V



ENERGY SAVING & COMFORT

·4D Air Flow

Distributes a stream of air to a wider area by combining the vertical and horizontal autoswing.



·ECO Mode

Press the Eco button to reduce power consumption about 60% while providing cooling comfort.



Reliability

Golden Fin

Golden fin is better in anti-corrosion and fast heating exchange characteristics than normal fin.



High Voltage Protection


Amaz PCB(Power Circuit Board) was upgraded to increase its ability to withstand voltage variations, thus ensuring safety against high-voltage or power surges while ultimately strengthening the air conditioner's overall durability



SKD/CKD

Indoor Unit


Evaporator, Display pcb, Air filter, Wall Mounted plate sheet, Drain hose Assembly, Electronic cover, Electric central assembly, Motor, Fan, Remote Controller, Motor cover, Ambience temperature sensor, Sensor assembly, Bracket, Transformer, Step motor, Power cable, Manual



Front panel(without display pcb)+Middle frame assembly+Bottom frame Assembly+Blade+LDU carton make to be indoor casing.
Other components be packed separately.

Outdoor Unit

Compressor, Fan, Motor, 4-way valve, Capillary tube assembly, Pipe, Terminal, Outdoor unit accessory kit, Compressor capacitor, Motor capacitor, Outdoor unit electrical mounting plate, Valve support, Screws



Rear net cover + Front panel sheet (with outdoor fan cover) + Base sheet + Top cover sheet + Right plate sheet + Corner mounting plate + Partition Plate sheet + Outdoor motor support sheet + Condenser + Packing foam + Glift box make to be outdoor casing.
Other components be packed separately.


Carton Choice

Amaz or Customized Carton



AC Accessory


We will provide you spare parts




FAN



COMPRESSOR



BRACKET




CONDENSER



COPPER PIPE


REMOTE CONTROL CHOICE



Control by your
mobile phone



A-1



A-2




A-3



A-4



A-5



A-6

Air Cooler

AL-20A

Loading Quantity	
40HQ	483



AL-40A

Loading Quantity	
40HQ	210



Solar Fan

ALF-16L

Loading Quantity	
40HQ	2800



Fan size: 16 inch
 Solar panel: 9V 15W
 Battery: 7.4V 4000MAH ternary lithium battery
 Charger: 8.4V 2A adaptive charger
 Fan speed: 3 Level
 Duration of use: 4-8 hours
 Solar charging time: 4-5 hours; adapter included
 Box size: 43.5*23*48cm

ALF-16MQ

Loading Quantity	
40HQ	1450



Fan size: 16 inch
 Function: AC/DC operation with 0.5 hour timer
 Battery: 12V 4.5AH lead-acid battery
 Voltage: 110-240V
 Material: ABS+PP
 Equipment: 10W solar panel + 2 bulbs
 Box size: 63.8*13*56.6cm

Solar Fan

ALF-16LD

Loading Quantity	
40HQ	2120



Fan size: 16 inch
Power: 15W
Fan speed: 3 Level
Usage duration: 3 levels for 5-6 hours
Charger: 9V/2A compatible charger
Battery: 7.4V 8800MAH ternary lithium batter
Function mode: USB mobile phone charging DC output
Box size: 44*16.5*44cm

ALF-12Q

Loading Quantity	
40HQ	4480



Fan size: 12 inch
Power: 15W
Panel: 9V 3.5W
Battery: 6V 4A lead-acid battery
Charging time: 4-6H
Box size: 42*19*38 (Two sets in one box)



Washing Machine We care CLEANNESS



FACTORY STRENGTH



Injection Machine

01



Product assembly

02



Refrigeration test

03



Product testing

04



Baseboard production


05



Product packaging



06

Twin Tub



Model	AM50-H1E	AM80-H1E	AM100-H1E
Capacity	5KG	8KG	10KG
Tub Texture	Plastic	Plastic	Plastic
Washing Power	350W	350W	360W
Spin Power	160W	160W	170W
Product Size(W*D*H)	610*380*760	728*405*835	815*485*860
Packing Size(W*D*H)	625*403*760	735*425*860	830*510*890
NW/GW	13/15	16/19	20/23
Lading QTY(40HQ)	365	260	178


Front Loading



Model	AL60-A212E	AL80-A212E	AL100-A212E
Capacity	6KG	8KG	10KG
Inner Drum Diameter	520	520	520
Motor Type	Inverter	Inverter	Inverter
RPM	1200	1400	1400
EER(Energy Efficiency Rate)	European Class C	European Class B	European Class B
Product Size(W*D*H)	599*400*845	599*445*845	598*520*845
Packing Size(W*D*H)	650*450*890	650*500*890	647*575*890
NW/GW	48/53	52/57	60/63
Lading QTY(40HQ) Single/Double Door	270/256	250/229	215/177

Washer-Dryer

Touchscreen Model



Model	AL120-A112E-HX
Capacity	12KG
Inner Drum Diameter	520
Motor Type	Inverter
RPM	1400
EER(Energy Efficiency Rate)	European Class B
Product Size(W*D*H)	598*625*845
Packing Size(W*D*H)	647*712*890
NW/GW	67/71
Loading QTY(40HQ) Single/Double Door	180/161

- Saves valuable living space.
- Sterilization and mite removal functions.
- A one-stop solution for washing and drying.
- Large capacity, meeting the needs of large families.



Quick Drying



All-in-One Convenience



Space-Saving Design



Time-Saving Solution



Large Capacity for Families

Front Loading

Touchscreen Model



Model	AM80-A212E	AM100-A212E	AM120-A212E
Capacity	8KG	10KG	12KG
Inner Drum Diameter	520	520	520
Motor Type	Inverter	Inverter	Inverter
RPM	1400	1400	1500
EER(Energy Efficiency Rate)	European Class B	European Class B	European Class A+++
Product Size(W*D*H)	599*445*845	598*520*845	598*625*845
Packing Size(W*D*H)	650*500*890	647*575*890	647*712*890
NW/GW	52/57	60/63	67/71
Loading QTY(40HQ) Single/Double Door	250/229	215/117	180/161

Top Loading



Model	AM20-FD1	AM70-8E	AM90-8E	AM70-P1E	AM90-P1E
Capacity	2 KG	7 KG	9 KG	7 KG	9 KG
Washing Power	130W	150W	160W	150W	160W
Product Size(W*D*H)	360*360*380	445*410*800	480*475*830	445*410*800	480*475*830
Package size(W*D*H)	400*230*485	475*445*825	505*450*860	475*445*825	505*490*860
NW/GW	5.0/6.0	10.0/11.0	12.5/13.75	10.0/11.0	12.5/13.75
Loading QTY(40HQ)	1529	384	288	405	288

Top Loading



Model	AM70-P2E	AM90-P2E
Capacity	7 KG	9 KG
Washing Power	135W	160W
Product Size(W*D*H)	445*410*800	480*475*830
Package size(W*D*H)	475*445*825	505*490*860
NW/GW	10.0/11.0	12.5/13.75
Loading QTY(40HQ)	405	288

Model	AM70-P3E	AM90-P3E
Capacity	7 KG	9 KG
Washing Power	135W	160W
Product Size(W*D*H)	445*410*800	480*475*830
Package size(W*D*H)	475*445*825	505*450*860
NW/GW	10.0/11.0	12.5/13.75
Loading QTY(40HQ)	405	288

Twin tub

■ AM110-H2E



11KG 144PCS/40HQ

Water Inlet	1
Wash/Spin Capacity	11.0/6.0KG
Product Size(W*D*H)	835x500x990mm
Package Size(W*D*H)	880x520x1030mm

■ AM135-H2E*



13.5KG 122PCS/40HQ

Water Inlet	1
Wash/Spin Capacity	13.5/6.0KG
Product Size(W*D*H)	885x515x1035mm
Package Size(W*D*H)	900x550x1080mm



Refrigerator

We care FRESH!




Product Features



INVERTER TECHNOLOGY

Inverter Technology automatically adjusts the compressor speed according to your varying cooling needs, so it consumes less energy, minimizes noise, and reduces wear for longer lasting performance.



MULTI-AIR FLOW SYSTEM

Multi Air Flow system Provides even cold air distribution at each corner so that food quick reaches the ideal storage temperature.



WATER DISPENSER

This water dispenser is fully integrated in to the door, and provides chilled and re freshing water whenever you want it. Its non-plumbed design allows you place this refrigerator anywhere in your kitchen.



TOP LED LIGHT

Efficient led lighting is thinner, cooler and more energy efficient than traditional lighting. It sits at the top and beautifully and brightly illuminates every corner, ensuring better visibility.



TOTAL NO FROST

Use of no frost cooling technology eliminates the hassle of manual frost removal, and provides better freezing quality. Air flow distribution can even keep food fresh longer in a no frost environment.



FRESH ZONE

Flexible storage space to keep fresh food in different seasons or special situations. Such as pizza, fish and so on.



HANDLE OPTIONAL

We offer handles with different design to meet to your requirements.



GLASS DOOR DESIGN

The refrigerator door is made of metal and glass. It's a work of art everywhere.



ELECTRONIC CONTROL

Computer control panel, precise temperature control with one touch.

Solar Freezer

Model No.DC-180L *

Fridge/Freezer Capacity0/180L
 Net Weight 41KG
 Gross Weight..... 45KG
 Packing Size(W*D*H)575*580*1435MM

OPTIONS

Refrigerant: ☐ R134a
 Condenser: ☐ outside
 Lock: ☐ with ☐ without
 Current: ☐ AC ☐ DC
 Frequency: ☐ constant speed ☐ inverter

- ❖ Mechanical temperature control
- ❖ Optional handles
- ❖ Double layer condenser
- ❖ Compressor fan
- ❖ Freezer temperature -18°C
- ❖ 7 roll-bond evaporator plate
- ❖ 1 vegetable crisper



BURKINA FASO



MALI

Validity capacity
180L/6.4 cu.ft

Product(W*D*H) Size
545*550*1410MM

Loading (40HQ)
144PCS



Upright Freezer for Water

■ AL-180L*



180 L R134a



Shelves	7 Shelves+1 drawer
Total Storage Volume	180L
40'HQ	148
Package Size(W*D*H)	570*570*1455

■ AL-205L*



205 L R134a



Shelves	8 Shelves+1 drawer
Total Storage Volume	205L
40'HQ	139
Package Size(W*D*H)	580*595*1480

Top Freezer Defrost



ALR-76 *

Top freezer defrost



TOTAL CAPACITY(L)	70L
FRIDGE CAPACITY(L)	50L
FREEZER CAPACITY(L)	26L
ENERGY CLASS	/
TEM.CONTROL	Mechanical

DIMENSION (W*D*H)	380*375*780
PACKING (W*D*H)	440*430*820
NET/GROSS WEIGHT	14/15.5KG
LOADING (40HQ)	405pcs



ALR-138 *

Top freezer defrost



TOTAL CAPACITY(L)	138L
FRIDGE CAPACITY(L)	104L
FREEZER CAPACITY(L)	34L
ENERGY CLASS	/
TEM.CONTROL	Mechanical

DIMENSION (W*D*H)	454*515*1285
PACKING (W*D*H)	500*550*1330
NET/GROSS WEIGHT	30/32KG
LOADING (40HQ)	190pcs



ALR-201

Top freezer defrost



TOTAL CAPACITY(L)	201L
FRIDGE CAPACITY(L)	159L
FREEZER CAPACITY(L)	42L
ENERGY CLASS	/
TEM.CONTROL	Mechanical

DIMENSION (W*D*H)	544*530*1445
PACKING (W*D*H)	580*590*1490
NET/GROSS WEIGHT	41/44KG
LOADING (40HQ)	142pcs



ALR-238

Top freezer defrost



TOTAL CAPACITY(L)	238L
FRIDGE CAPACITY(L)	196L
FREEZER CAPACITY(L)	42L
ENERGY CLASS	/
TEM.CONTROL	Mechanical

DIMENSION (W*D*H)	544*530*1660
PACKING (W*D*H)	580*590*1700
NET/GROSS WEIGHT	44/47KG
LOADING (40HQ)	108pcs



Top Fridge No Frost



AMF-310

Top freezer defrost



TOTAL CAPACITY(L)	310L	DIMENSION (W*D*H)	595*550*1800
FRIDGE CAPACITY(L)	215L	PACKING (W*D*H)	595*635*1853
FREEZER CAPACITY(L)	95L	NET/GROSS WEIGHT	56/61KG
ENERGY CLASS	/	LOADING (40HQ)	75pcs
TEM.CONTROL	Mechanical		



AMF-335

Top freezer defrost



TOTAL CAPACITY(L)	335L	DIMENSION (W*D*H)	595*550*1900
FRIDGE CAPACITY(L)	240L	PACKING (W*D*H)	595*635*1953
FREEZER CAPACITY(L)	95L	NET/GROSS WEIGHT	60/65KG
ENERGY CLASS	/	LOADING (40HQ)	74pcs
TEM.CONTROL	Mechanical		



Side by side no frost



AM-454W

Side by side no frost



TOTAL CAPACITY(L)	450L
FRIDGE CAPACITY(L)	270L
FREEZER CAPACITY(L)	180L
REFRIGERANT	R600a
CLIMATE CLASS	SN/N/ST/T
DIMENSION (xDxH)	780*713*1714
PACKING (VxDxH)	839*764*1794
NET/GROSS WEIGHT	69/76KG
LOADING (40HQ)	61pcs



AM-480W

Side by side no frost



TOTAL CAPACITY(L)	474L
FRIDGE CAPACITY(L)	304L
FREEZER CAPACITY(L)	170L
REFRIGERANT	R600a
CLIMATE CLASS	SN/N/ST/T
DIMENSION (WxDxH)	830*647*1822
PACKING (WxDxH)	886*695*1910
NET/GROSS WEIGHT	76/84KG
LOADING (40HQ)	56pcs



AM-502W

Side by side no frost



TOTAL CAPACITY(L)	487L
FRIDGE CAPACITY(L)	295L
FREEZER CAPACITY(L)	192L
REFRIGERANT	R600a
CLIMATE CLASS	SN/N/ST/T
DIMENSION (xDxH)	830*646*1808
PACKING (VxDxH)	886*695*1909
NET/GROSS WEIGHT	72/79KG
LOADING (40HQ)	56pcs



AM-431W

Side by side no frost



TOTAL CAPACITY(L)	426L
FRIDGE CAPACITY(L)	284L
FREEZER CAPACITY(L)	142L
REFRIGERANT	R600a
CLIMATE CLASS	SN/N/ST/T
DIMENSION (xDxH)	830*672*1834
PACKING (VxDxH)	884*710*1891
NET/GROSS WEIGHT	80/87KG
LOADING (40HQ)	55pcs



Side by side no frost

■ AM-550W



546 L 39PCS/40HQ



Compressor	R600a
Toal Storage Volume	546L
Product Size(W*D*H)	830*718*1891
Package Size(W*D*H)	886*772*1989

■ AM-383W



372 L 64PCS/40HQ



Compressor	R600a
Toal Storage Volume	372L
Product Size(W*D*H)	780*628*1714
Package Size(W*D*H)	839*679*1794

Chest freezer



AM-100W2*



Chest freezer

NET CAPACITY(L)	100L
VOLTAGE	220-50
REFRIGERANT	R600a
NOISE LEVEL	42

DIMENSION (WxDxH)	545*478*835
PACKING (WxDxH)	578*498*885
NET/GROSS WEIGHT	19/21KG
LOADING (40HQ)	287pcs



AM-143W2*



Chest freezer

NET CAPACITY(L)	143L
VOLTAGE	220-50
REFRIGERANT	R600a
NOISE LEVEL	42

DIMENSION (WxDxH)	628*558*835
PACKING (WxDxH)	658*578*885
NET/GROSS WEIGHT	22/25KG
LOADING (40HQ)	215pcs



AM-245W2



Chest freezer

NET CAPACITY(L)	245L
VOLTAGE	220-50
REFRIGERANT	R600a
NOISE LEVEL	42

DIMENSION (WxDxH)	1015*558*836
PACKING (WxDxH)	1045*578*885
NET/GROSS WEIGHT	34/38KG
LOADING (40HQ)	132pcs



AM-300W2



Chest freezer

NET CAPACITY(L)	300L
VOLTAGE	220-50
REFRIGERANT	R600a
NOISE LEVEL	42

DIMENSION (WxDxH)	1125*608*835
PACKING (WxDxH)	1155*630*885
NET/GROSS WEIGHT	37/42KG
LOADING (40HQ)	112pcs



Chest freezer

■ AM-202W2*



202 L 167PCS/40HQ

Net capacity(L)	202L
Compressor	R600a
Voltage	220V-50Hz
Noise level	42
Product Size(W*D*H)	818*558*835
Package Size(W*D*H)	848*578*885

■ AM-400W2



400 L 81PCS/40HQ

Net capacity(L)	400L
Compressor	R290
Voltage	220V-50Hz
Product Size(W*D*H)	1254*730*880
Package Size(W*D*H)	1290*770*885

Chest freezer



AM-439Q/500Q



439L 72PCS/40HQ

Compressor	R290a
Total Storage Volume	439L
Product Size(W*D*H)	1404*730*880
Package Size(W*D*H)	1440*770*885



500L 66PCS/40HQ

Compressor	R290a
Total Storage Volume	500L
Product Size(W*D*H)	1512*730*880
Package Size(W*D*H)	1548*770*885



AM-539Q/639Q



539L 60PCS/40HQ

Compressor	R290a
Total Storage Volume	539L
Product Size(W*D*H)	1684*730*880
Package Size(W*D*H)	1720*770*885



639L 42PCS/40HQ

Compressor	R290a
Total Storage Volume	639L
Product Size(W*D*H)	1906*790*880
Package Size(W*D*H)	1953*825*885

CONTACT INFORMATION



刘晓燕 Shirley Liu
Sales Director

+86 134 2412 2548
Shirley@amazinglife.gz.cn



焦慧云 Eliza
Deputy Marketing Director

+86 136 1149 9705
amaz5@amazinglife.gz.cn



温水带 Miko
Sales Manager

+86 135 5614 9209
amaz4@amazinglife.gz.cn



钟雁婷 Hillary
Sales Manager

+86 135 0003 4125
amaz9@amazinglife.gz.cn



李凌洁 Lily
French Sales Manager

+86 195 7644 8674
amaz17@amazinglife.gz.cn



廖捷 Jade
French Sales Manager

+86 135 0003 4753
amaz11@amazinglife.gz.cn



李燕榕 Alice
Sales Manager

+86 135 0003 5459
amaz3@amazinglife.gz.cn



吴雨镜 Obama
Sales Manager

+86 190 7528 4674
amaz12@amazinglife.gz.cn



刘亦鸿 Brian
Sales Manager

+86 135 3322 3572
amaz14@amazinglife.gz.cn



关喜妍 Gabrielle
French Sales Manager

+86 198 7586 9067
amaz08@amazinglife.gz.cn



Q | www.amaz.group

SOHO INDUSTRY LIMITED

Headquarter Office: Room#503~505, Green-land-center Mall,
Huangpu dadaozhong Road#662, International Finance CBD,
Tianhe subcity, Guangzhou City, Guangdong Province, China.

Ethiopia Factory: Oromia Special Zone Brayu, Tatak Industrial Zone

Guangdong Factory: Changsheng Road, Nanhai District, Foshan City



Website



VR Showroom



Shirley's Wechat